



Conservation Service

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI	
2	Bibb fine sandy loam, 0 to 1 percent slopes, frequently flooded	Not prime farmland	27.9	5.5%	
6	Cowarts fine sandy loam, 5 to 10 percent slopes	Not prime farmland	0.1	0.0%	
8	Dothan fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland	71.9	14.1%	
21	Orangeburg sandy loam, 2 to 5 percent slopes	All areas are prime farmland	119.6	23.4%	
22	Orangeburg sandy loam, 5 to 8 percent slopes	All areas are prime farmland	44.6	8.7%	
23	Orangeburg-Urban land complex, 0 to 8 percent slopes	Not prime farmland	8.4	1.6%	
26	Red Bay loamy sand, 0 to 2 percent slopes	All areas are prime farmland	28.0	5.5%	
27	Red Bay loamy sand, 2 to 5 percent slopes	All areas are prime farmland	141.4	27.7%	
28	Red Bay loamy sand, 5 to 8 percent slopes	All areas are prime farmland	41.0	8.0%	
31	Troup loamy sand, 5 to 8 percent slopes	Not prime farmland	27.8	5.5%	
Totals for Area of Interest			510.6	100.0%	

Description

Farmland classification identifies map units as prime farmland, farmland of statewide importance, farmland of local importance, or unique farmland. It identifies the location and extent of the soils that are best suited to food, feed, fiber, forage, and oilseed crops. NRCS policy and procedures on prime and unique farmlands are published in the "Federal Register," Vol. 43, No. 21, January 31, 1978.

Rating Options

Aggregation Method: No Aggregation Necessary



Natural Resources

Conservation Service

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
8	Dothan fine sandy loam, 2 to 5 percent slopes	All areas are prime farmland	0.0	0.0%
21	Orangeburg sandy loam, 2 to 5 percent slopes	All areas are prime farmland	136.2	37.3%
22	Orangeburg sandy loam, 5 to 8 percent slopes	All areas are prime farmland	1.2	0.3%
26	Red Bay loamy sand, 0 to 2 percent slopes	All areas are prime farmland	3.0	0.8%
27	Red Bay loamy sand, 2 to 5 percent slopes	All areas are prime farmland	200.4	54.9%
28	Red Bay loamy sand, 5 to 8 percent slopes	All areas are prime farmland	22.2	6.1%
31	Troup loamy sand, 5 to 8 percent slopes	Not prime farmland	0.1	0.0%
W	Water, > 40 acres	Not prime farmland	1.9	0.5%
Totals for Area of Interest			365.0	100.0%

Description

Farmland classification identifies map units as prime farmland, farmland of statewide importance, farmland of local importance, or unique farmland. It identifies the location and extent of the soils that are best suited to food, feed, fiber, forage, and oilseed crops. NRCS policy and procedures on prime and unique farmlands are published in the "Federal Register," Vol. 43, No. 21, January 31, 1978.

Rating Options

Aggregation Method: No Aggregation Necessary



	r			
Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
26	Red Bay loamy sand, 0 to 2 percent slopes	All areas are prime farmland	19.8	10.0%
27	Red Bay loamy sand, 2 to 5 percent slopes	All areas are prime farmland	32.8	16.6%
28	Red Bay loamy sand, 5 to 8 percent slopes	All areas are prime farmland	6.1	3.1%
Subtotals for Soil Survey Area			58.8	29.7%
Totals for Area of Interest			197.5	100.0%

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
EaC	Eustis loamy sand, 5 to 12 percent slopes	Not prime farmland	13.3	6.7%
На	Hannahatchee loam, local alluvium	All areas are prime farmland	0.8	0.4%
RbB2	Red Bay fine sandy loam, eroded, very gently sloping	All areas are prime farmland	67.0	33.9%
RcB2	Red Bay and Magnolia fine sandy loams, eroded, very gently sloping	All areas are prime farmland	9.8	5.0%
RcC2	Red Bay and Magnolia fine sandy loams, eroded, gently sloping	All areas are prime farmland	24.4	12.4%
ReB2	Ruston fine sandy loam, eroded, very gently sloping	All areas are prime farmland	13.8	7.0%
ReC2	Ruston fine sandy loam, eroded, gently sloping	All areas are prime farmland	4.0	2.0%
ReD2	Ruston fine sandy loam, eroded, sloping	Not prime farmland	5.3	2.7%
Sa	Sandy alluvial land, poorly drained	Not prime farmland	0.3	0.1%
Subtotals for Soil Survey Area			138.7	70.2%
Totals for Area of Inter	rest		197.5	100.0%

Description

Farmland classification identifies map units as prime farmland, farmland of statewide importance, farmland of local importance, or unique farmland. It identifies the location and extent of the soils that are best suited to food, feed, fiber, forage, and oilseed crops. NRCS policy and procedures on prime and unique farmlands are published in the "Federal Register," Vol. 43, No. 21, January 31, 1978.

Rating Options

Aggregation Method: No Aggregation Necessary





National Cooperative Soil Survey

Conservation Service

Page 1 of 6

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
Ga	Grady soils	Not prime farmland	2.7	1.5%
Gb	Gullied land	Not prime farmland	6.8	3.8%
MaB2	Magnolia fine sandy loam, eroded, very gently sloping	All areas are prime farmland	9.6	5.3%
RbA	Red Bay fine sandy loam, level	All areas are prime farmland	15.2	8.5%
RbB	Red Bay fine sandy loam, very gently sloping	All areas are prime farmland	12.9	7.2%
RbB2	Red Bay fine sandy loam, eroded, very gently sloping	All areas are prime farmland	8.3	4.6%
RcB2	Red Bay and Magnolia fine sandy loams, eroded, very gently sloping	All areas are prime farmland	14.8	8.2%
RcC2	Red Bay and Magnolia fine sandy loams, eroded, gently sloping	All areas are prime farmland	36.2	20.2%
ReA	Ruston fine sandy loam, level	All areas are prime farmland	5.9	3.3%
ReB	Ruston fine sandy loam, very gently sloping	All areas are prime farmland	9.3	5.2%
ReB2	Ruston fine sandy loam, eroded, very gently sloping	All areas are prime farmland	10.3	5.7%
ReC2	Ruston fine sandy loam, eroded, gently sloping	All areas are prime farmland	41.8	23.3%
Sa	Sandy alluvial land, poorly drained	Not prime farmland	0.8	0.4%
ТаА	Tifton fine sandy loam, level	All areas are prime farmland	5.0	2.8%
Totals for Area of Interest			179.6	100.0%

Description

Farmland classification identifies map units as prime farmland, farmland of statewide importance, farmland of local importance, or unique farmland. It identifies the location and extent of the soils that are best suited to food, feed, fiber, forage, and oilseed crops. NRCS policy and procedures on prime and unique farmlands are published in the "Federal Register," Vol. 43, No. 21, January 31, 1978.

Rating Options

Aggregation Method: No Aggregation Necessary Tie-break Rule: Lower



Conservation Service

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
Ga	Grady soils	Not prime farmland	2.4	1.3%
Gb	Gullied land	Not prime farmland	6.9	3.7%
lb	luka soils, local alluvium	All areas are prime farmland	1.2	0.7%
LaB	Lakeland loamy fine sand, 0 to 5 percent slopes	Not prime farmland	0.1	0.1%
MaB2	Magnolia fine sandy loam, eroded, very gently sloping	All areas are prime farmland	1.9	1.0%
RbA	Red Bay fine sandy loam, level	All areas are prime farmland	21.7	11.5%
RbB	Red Bay fine sandy loam, very gently sloping	All areas are prime farmland	12.1	6.4%
RbB2	Red Bay fine sandy loam, eroded, very gently sloping	All areas are prime farmland	25.5	13.6%
RcB2	Red Bay and Magnolia fine sandy loams, eroded, very gently sloping	All areas are prime farmland	13.6	7.2%
RcC2	Red Bay and Magnolia fine sandy loams, eroded, gently sloping	All areas are prime farmland	20.5	10.9%
ReA	Ruston fine sandy loam, level	All areas are prime farmland	4.7	2.5%
ReB	Ruston fine sandy loam, very gently sloping	All areas are prime farmland	8.6	4.6%
ReB2	Ruston fine sandy loam, eroded, very gently sloping	All areas are prime farmland	4.8	2.5%
ReC2	Ruston fine sandy loam, eroded, gently sloping	All areas are prime farmland	22.7	12.1%
RfB	Ruston loamy sand, very gently sloping, thick surface	Not prime farmland	0.0	0.0%
Sa	Sandy alluvial land, poorly drained	Not prime farmland	2.5	1.3%
ТаА	Tifton fine sandy loam, level	All areas are prime farmland	4.6	2.4%
Subtotals for Soil Survey Area			153.7	81.9%
Totals for Area of Interest			187.7	100.0%

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
АрА	Alpin sand, 0 to 3 percent slopes	Not prime farmland	3.0	1.6%
ВоВ	Bonifay loamy sand, 0 to 5 percent slopes	Not prime farmland	0.1	0.0%
OrB	Orangeburg sandy loam, 2 to 5 percent slopes	All areas are prime farmland	28.3	15.1%
OrC	Orangeburg sandy loam, 5 to 8 percent slopes	All areas are prime farmland	0.4	0.2%
RbB	Red Bay sandy loam, 2 to 5 percent slopes	All areas are prime farmland	2.2	1.2%
Subtotals for Soil Survey Area		34.0	18.1%	
Totals for Area of Intere	Totals for Area of Interest			100.0%

Description

Farmland classification identifies map units as prime farmland, farmland of statewide importance, farmland of local importance, or unique farmland. It identifies the location and extent of the soils that are best suited to food, feed, fiber, forage, and oilseed crops. NRCS policy and procedures on prime and unique farmlands are published in the "Federal Register," Vol. 43, No. 21, January 31, 1978.

Rating Options

Aggregation Method: No Aggregation Necessary



Page 1 of 6

Natural Resources **Conservation Service**

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
AaB	Alaga loamy sand, 0 to 5 percent slopes	Not prime farmland	8.3	1.3%
АрА	Alpin sand, 0 to 3 percent slopes	Not prime farmland	21.6	3.5%
Bb	Bibb and Osier soils, frequently flooded	Not prime farmland	26.8	4.3%
ВоВ	Bonifay loamy sand, 0 to 5 percent slopes	Not prime farmland	11.4	1.8%
Ву	Byars soils, ponded	Not prime farmland	11.5	1.8%
Cb	Chastain and Bibb soils	Not prime farmland	72.2	11.6%
DoA	Dothan sandy loam, 0 to 2 percent slopes	All areas are prime farmland	6.6	1.1%
DoB	Dothan sandy loam, 2 to 5 percent slopes	All areas are prime farmland	3.7	0.6%
Eu	Eunola sandy loam	All areas are prime farmland	70.6	11.4%
FuB	Fuquay loamy sand, 1 to 5 percent slopes	Not prime farmland	1.5	0.2%
KaA	Kalmia loamy sand, 0 to 3 percent slopes	All areas are prime farmland	20.0	3.2%
Le	Leaf-Lenoir complex	Not prime farmland	30.6	4.9%
OrA	Orangeburg sandy loam, 0 to 2 percent slopes	All areas are prime farmland	11.9	1.9%
OrB	Orangeburg sandy loam, 2 to 5 percent slopes	All areas are prime farmland	216.7	34.9%
OrC	Orangeburg sandy loam, 5 to 8 percent slopes	All areas are prime farmland	4.7	0.8%
Pt	Pits	Not prime farmland	4.2	0.7%
RbB	Red Bay sandy loam, 2 to 5 percent slopes	All areas are prime farmland	34.5	5.6%
TrB	Troup loamy sand, 0 to 5 percent slopes	Not prime farmland	14.0	2.3%
TrC	Troup loamy sand, 5 to 12 percent slopes	Not prime farmland	46.1	7.4%
W	Water	Not prime farmland	4.7	0.8%
Totals for Area of Interest			621.8	100.0%

Description

Farmland classification identifies map units as prime farmland, farmland of statewide importance, farmland of local importance, or unique farmland. It identifies the location and extent of the soils that are best suited to food, feed, fiber, forage, and oilseed crops. NRCS policy and procedures on prime and unique farmlands are published in the "Federal Register," Vol. 43, No. 21, January 31, 1978.

Rating Options

Aggregation Method: No Aggregation Necessary





USDA

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
ArA	Ardilla sandy loam, 0 to 2 percent slopes	All areas are prime farmland	24.3	3.8%
Bb	Bibb and Osier soils, frequently flooded	Not prime farmland	22.8	3.6%
ВоВ	Bonifay loamy sand, 0 to 5 percent slopes	Not prime farmland	3.7	0.6%
DoA	Dothan sandy loam, 0 to 2 percent slopes	All areas are prime farmland	23.7	3.7%
DoB	Dothan sandy loam, 2 to 5 percent slopes	All areas are prime farmland	82.9	12.9%
DoC	Dothan sandy loam, 5 to 8 percent slopes	All areas are prime farmland	3.9	0.6%
OrA	Orangeburg sandy loam, 0 to 2 percent slopes	All areas are prime farmland	111.8	17.4%
OrB	Orangeburg sandy loam, 2 to 5 percent slopes	All areas are prime farmland	338.0	52.6%
OrC	Orangeburg sandy loam, 5 to 8 percent slopes	All areas are prime farmland	6.3	1.0%
Pm	Plummer loamy sand	Not prime farmland	22.1	3.4%
W	Water	Not prime farmland	2.9	0.5%
Totals for Area of Intere	est		642.6	100.0%

Description

Farmland classification identifies map units as prime farmland, farmland of statewide importance, farmland of local importance, or unique farmland. It identifies the location and extent of the soils that are best suited to food, feed, fiber, forage, and oilseed crops. NRCS policy and procedures on prime and unique farmlands are published in the "Federal Register," Vol. 43, No. 21, January 31, 1978.

Rating Options

Aggregation Method: No Aggregation Necessary



USDA Natural Resources Conservation Service

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI	
ArA	Ardilla sandy loam, 0 to 2 percent slopes	All areas are prime farmland	19.7	2.3%	
Bb	Bibb and Osier soils, frequently flooded	Not prime farmland	15.4	1.8%	
Ву	Byars soils, ponded	Not prime farmland	13.1	1.5%	
DoA	Dothan sandy loam, 0 to 2 percent slopes	All areas are prime farmland	86.5	10.1%	
DoB	Dothan sandy loam, 2 to 5 percent slopes	All areas are prime farmland	304.5	35.6%	
DoC	Dothan sandy loam, 5 to 8 percent slopes	All areas are prime farmland	32.8	3.8%	
EsC	Esto loamy sand, 5 to 12 percent slopes	Not prime farmland	1.1	0.1%	
FuB	Fuquay loamy sand, 1 to 5 percent slopes	Not prime farmland	13.8	1.6%	
Gr	Grady silt loam	Not prime farmland	24.1	2.8%	
OrA	Orangeburg sandy loam, 0 to 2 percent slopes	All areas are prime farmland	148.8	17.4%	
OrB	Orangeburg sandy loam, 2 to 5 percent slopes	All areas are prime farmland	172.5	20.2%	
OrC	Orangeburg sandy loam, 5 to 8 percent slopes	All areas are prime farmland	22.5	2.6%	
Totals for Area of Interest			854.9	100.0%	

Description

Farmland classification identifies map units as prime farmland, farmland of statewide importance, farmland of local importance, or unique farmland. It identifies the location and extent of the soils that are best suited to food, feed, fiber, forage, and oilseed crops. NRCS policy and procedures on prime and unique farmlands are published in the "Federal Register," Vol. 43, No. 21, January 31, 1978.

Rating Options

Aggregation Method: No Aggregation Necessary



USDA Natural Resources

Conservation Service

Man unit symbol	Man unit name	Pating	Acros in AOI	Porcent of AOI
	Map unit name	Rating	Acres III AOI	Percent of AOI
АаВ	Alaga loamy sand, 0 to 5 percent slopes	Not prime farmland	17.9	4.6%
ArA	Ardilla sandy loam, 0 to 2 percent slopes	All areas are prime farmland	44.6	11.5%
Bb	Bibb and Osier soils, frequently flooded	Not prime farmland	3.8	1.0%
ВК	Bigbee-Kalmia-Eunola association	Not prime farmland	15.3	3.9%
DoA	Dothan sandy loam, 0 to 2 percent slopes	All areas are prime farmland	41.5	10.7%
DoB	Dothan sandy loam, 2 to 5 percent slopes	All areas are prime farmland	27.5	7.1%
DoC	Dothan sandy loam, 5 to 8 percent slopes	All areas are prime farmland	0.4	0.1%
Eu	Eunola sandy loam	All areas are prime farmland	13.6	3.5%
КаА	Kalmia loamy sand, 0 to 3 percent slopes	All areas are prime farmland	6.4	1.6%
LuB	Lucy loamy sand, 0 to 5 percent slopes	Not prime farmland	0.5	0.1%
OrA	Orangeburg sandy loam, 0 to 2 percent slopes	All areas are prime farmland	35.5	9.2%
OrB	Orangeburg sandy loam, 2 to 5 percent slopes	All areas are prime farmland	148.0	38.2%
OrC	Orangeburg sandy loam, 5 to 8 percent slopes	All areas are prime farmland	5.4	1.4%
Ra	Rains sandy loam	Not prime farmland	2.3	0.6%
TrC	Troup loamy sand, 5 to 12 percent slopes	Not prime farmland	23.5	6.1%
W	Water	Not prime farmland	1.6	0.4%
Totals for Area of Intere	st	·	387.8	100.0%

Description

Farmland classification identifies map units as prime farmland, farmland of statewide importance, farmland of local importance, or unique farmland. It identifies the location and extent of the soils that are best suited to food, feed, fiber, forage, and oilseed crops. NRCS policy and procedures on prime and unique farmlands are published in the "Federal Register," Vol. 43, No. 21, January 31, 1978.

Rating Options

Aggregation Method: No Aggregation Necessary



USDA Natural Resources Conservation Service

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI	
АрА	Alpin sand, 0 to 3 percent slopes	Not prime farmland	32.4	12.9%	
Bb	Bibb and Osier soils, frequently flooded	Not prime farmland	8.5	3.4%	
ВК	Bigbee-Kalmia-Eunola association	Not prime farmland	2.1	0.9%	
ВоВ	Bonifay loamy sand, 0 to 5 percent slopes	Not prime farmland	51.6	20.6%	
DoB	Dothan sandy loam, 2 to 5 percent slopes	All areas are prime farmland	62.0	24.7%	
Eu	Eunola sandy loam	All areas are prime farmland	4.7	1.9%	
FuB	Fuquay loamy sand, 1 to 5 percent slopes	Not prime farmland	27.5	10.9%	
KaA	Kalmia loamy sand, 0 to 3 percent slopes	All areas are prime farmland	55.0	21.9%	
Pt	Pits	Not prime farmland	0.8	0.3%	
TrC	Troup loamy sand, 5 to 12 percent slopes	Not prime farmland	4.3	1.7%	
W	Water	Not prime farmland	2.0	0.8%	
Totals for Area of Interest			250.8	100.0%	

Description

Farmland classification identifies map units as prime farmland, farmland of statewide importance, farmland of local importance, or unique farmland. It identifies the location and extent of the soils that are best suited to food, feed, fiber, forage, and oilseed crops. NRCS policy and procedures on prime and unique farmlands are published in the "Federal Register," Vol. 43, No. 21, January 31, 1978.

Rating Options

Aggregation Method: No Aggregation Necessary

